


Part no	Description	Page
-	Table of contents	1
HEG-ANYA Mxx HLF	DIN929 STEEL HEXAGON WELDING NUT/WELD NUT	2
HEG-ANYA Mxx NLF	DIN928 STEEL SQUARE WELD NUT/WELDING NUT	3
HEG-ANYA Mxx HLF A2	DIN929 STAINLESS STEEL HEXAGON WELD NUT/WELDING NUT	4
HEG-ANYA Mxx NLF A2	DIN928 STAINLESS STEEL WELDING NUT/WELD NUT	5
HEG-CS-xMM-yy	ISO 13918 UT STEEL COPPER PLATED UNTHREADED WELD STUD	6-7
HEG-CS-A2-xMM-yy	ISO 13918 UT STAINLESS STEEL UNTHREADED WELD STUD	8-9
HEG-CS-AL-Mxx-yy	ISO 13918 PT EXTERNAL THREADED ALUMINUM WELD STUD	10-11
HEG-CS-Mxx-yy	ISO 13918 PT EXTERNAL THREAD COPPER PLATED STEEL WELD STUD	12-13
HEG-CS-A2-Mxx-yy	ISO 13918 PT EXTERNAL THREADED STAINLESS STEEL WELD STUD	14-15
HEG-TÁVT-AL-Mxx-yy	ISO 13918 IT INTERNAL THREAD ALUMINUM WELD STUD	16
HEG-TÁVT-Mxx-yy	ISO 13918 IT INTERNAL THREADED COPPER PLATED STEEL WELD STUD	17
HEG-TÁVT-A2-Mxx-yy	ISO 13918 IT INTERNAL THREAD STAINLESS STEEL WELD STUD	18
HEG-TUSK-x,x-yy-ALAPAN	ISO 13918 IN WELDING NAIL / WELD PIN / INSULATION NAIL FOR INSULATION	19
HEG-FÜL-Fx-ALAPANYAG	ISO 13918 GROUND CLIP / GROUND CONNECTOR / EARTHING TAG	20




Material: plain steel

$\varnothing d$ Drill hole mm	Part no	m	S	e	Description
M3 $\varnothing 4,6$	HEG-ANYA M3 HLF	3,0	7,5	8,15	ST M3 HEXAGONAL WELDABLE NUT DIN 929
M4 $\varnothing 6,1$	HEG-ANYA M4 HLF	3,5	9,0	9,83	STEEL M4 HEXAGONAL WELDABLE NUT DIN 929
M5 $\varnothing 7,1$	HEG-ANYA M5 HLF	4,0	10,0	10,95	ST M5 HEX WELDING NUT DIN 929
M6 $\varnothing 8,1$	HEG-ANYA M6 HLF	5,0	11,0	12,02	STEEL M6 HEX WELDING NUT DIN 929
M8 $\varnothing 10,5$	HEG-ANYA M8 HLF	6,5	14,0	15,38	ST M8 HEXAGONAL HEG NUT DIN 929
M10 $\varnothing 12,5$	HEG-ANYA M10 HLF	8,0	17,0	18,74	STEEL M10 HEXAGONAL HEG NUT DIN 929
M12 $\varnothing 14,8$	HEG-ANYA M12 HLF	10,0	19,0	20,91	ST M12 HEX WELDABLE NUT DIN 929
M14 $\varnothing 16,8$	HEG-ANYA M14 HLF	11,0	22,0	24,27	ST M14 HEXAGONAL WELDABLE NUT DIN 929
M16 $\varnothing 18,8$	HEG-ANYA M16 HLF	13,0	24,0	26,51	M16 STEEL HEX WELDING NUT DIN 929

Technical information:

- The welding nut has a central ring that can provide good positioning
- The ring is also protecting the thread during welding
- 3 corner of the 6 is working as ignition and welding point


Material: plain steel



Ød	Part no	m	h	s	Description
M4	HEG-ANYA M4 NLF	3,5	0,6	7,0	STEEL M4 SQUARE WELDABLE NUT DIN 928
M5	HEG-ANYA M5 NLF	4,2	0,8	9,0	ST M5 SQUARE WELDABLE NUT DIN 928
M6	HEG-ANYA M6 NLF	5	0,8	10,0	STEEL M6 SQUARE WELDING NUT DIN 928
M8	HEG-ANYA M8 NLF	6,5	1,0	14,0	ST M8 SQUARE WELDING NUT DIN 928
M10	HEG-ANYA M10 NLF	8,0	1,2	17,0	STEEL M10 SQUARE WELD NUT DIN 928
M12	HEG-ANYA M12 NLF	9,5	1,4	19,0	ST M12 SQUARE WELD NUT DIN 928

Technical information:

- In case of square weld nuts the welding electrode is working as positioning pin

HEG-ANYA Mxx HLF A2**DIN929 STAINLESS STEEL HEXAGON WELD NUT/WELDING NUT**


Material: plain Stainless steel (INOX, A2)

$\varnothing d$ Drill hole mm	Part no	m	s	e	Description
M3 \varnothing 4,6	HEG-ANYA M3 HLF A2	3,0	7,5	8,15	A2 M3 HEXAGONAL WELDABLE NUT DIN 929
M4 \varnothing 6,1	HEG-ANYA M4 HLF A2	3,5	9,0	9,83	INOX M4 HEXAGONAL WELDABLE NUT DIN 929
M5 \varnothing 7,1	HEG-ANYA M5 HLF A2	4,0	10,0	10,95	STAINLESS M5 HEXAGONAL WELDING NUT DIN 929
M6 \varnothing 8,1	HEG-ANYA M6 HLF A2	5,0	11,0	12,02	A2 M6 HEX WELDING NUT DIN 929
M8 \varnothing 10,5	HEG-ANYA M8 HLF A2	6,5	14,0	15,38	INOX M8 HEX WELD NUT DIN 929
M10 \varnothing 12,5	HEG-ANYA M10 HLF A2	8,0	17,0	18,74	STAINLESS M10 HEX WELD NUT DIN 929
M12 \varnothing 14,8	HEG-ANYA M12 HLF A2	10,0	19,0	20,91	A2 M12 HEXAGONAL WELDABLE NUT DIN 929
M14 \varnothing 16,8	HEG-ANYA M14 HLF A2	11,0	22,0	24,27	INOX M14 HEXAGONAL WELDABLE NUT DIN 929
M16 \varnothing 18,8	HEG-ANYA M16 HLF A2	13,0	24,0	26,51	STAINLESS M16 HEXAGONAL WELDING NUT DIN 929

Technical information:

- Corrosion resistant
- The welding nut has a central ring that can provide good positioning
- The ring is also protecting the thread during welding
- 3 corner of the 6 is working as ignition and welding point
- Available in A4 quality also

Material: plain Stainless steel (INOX, A2)




Ød	Part no	m	h	s	Description
M4	HEG-ANYA M4 NLF A2	3,5	0,6	7,0	INOX M4 SQUARE WELDABLE NUT DIN 928
M5	HEG-ANYA M5 NLF A2	4,2	0,8	9,0	STAINLESS M5 SQUARE WELDABLE NUT DIN 928
M6	HEG-ANYA M6 NLF A2	5	0,8	10,0	A2 M6 SQUARE WELDING NUT DIN 928
M8	HEG-ANYA M8 NLF A2	6,5	1,0	14,0	INOX M8 SQUARE WELDING NUT DIN 928
M10	HEG-ANYA M10 NLF A2	8,0	1,2	17,0	STAINLESS M10 SQUARE WELD NUT DIN 928
M12	HEG-ANYA M12 NLF A2	9,5	1,4	19,0	A12 M12 SQUARE WELD NUT DIN 928

Technical information:

- In case of square weld nuts the welding electrode is working as positioning pin
- Available in A4 quality also

HEG-CS-xMM-yy ISO 13918 UT STEEL COPPER PLATED UNTHREADED WELD STUD

Material: Copper plated steel




Ød	Part no	l	d2	h1	Description
3.0	HEG-CS-3MM-06	6	4.5	0.7 - 1.4	3MMx06 WELDABLE POSITIONING PIN STEEL COPPER PLTD UT TYPE
	HEG-CS-3MM-08	8			3MMx08 ST UNTHREADED CD WELD STUD UT TYPE
	HEG-CS-3MM-10	10			3MMx10 WELDABLE POSITIONING PIN STEEL COPPER PLTD UT TYPE
	HEG-CS-3MM-12	12			3MMx12 ST UNTHREADED CD WELD STUD UT TYPE
	HEG-CS-3MM-15	15			3MMx15 WELDABLE POSITIONING PIN STEEL COPPER PLTD UT TYPE
	HEG-CS-3MM-20	20			3MMx20 ST UNTHREADED CD WELD STUD UT TYPE
	HEG-CS-3MM-25	25			3MMx25 WELDABLE POSITIONING PIN STEEL COPPER PLTD UT TYPE
4.0	HEG-CS-4MM-06	6	5.5	0.7 - 1.4	4MMx06 ST UNTHREADED CD WELD STUD UT TYPE
	HEG-CS-4MM-08	8			4MMx08 WELDABLE POSITIONING PIN STEEL COPPER PLTD UT TYPE
	HEG-CS-4MM-10	10			4MMx10 ST UNTHREADED CD WELD STUD UT TYPE
	HEG-CS-4MM-15	15			4MMx15 WELDABLE POSITIONING PIN STEEL COPPER PLTD UT TYPE
	HEG-CS-4MM-20	20			4MMx20 ST UNTHREADED CD WELD STUD UT TYPE
	HEG-CS-4MM-25	25			4MMx25 WELDABLE POSITIONING PIN STEEL COPPER PLTD UT TYPE
	HEG-CS-4MM-30	30			4MMx30 ST UNTHREADED CD WELD STUD UT TYPE
	HEG-CS-4MM-35	35			4MMx35 WELDABLE POSITIONING PIN STEEL COPPER PLTD UT TYPE
5.0	HEG-CS-5MM-08	8	6.5	0.7 - 1.4	5MMx08 ST UNTHREADED CD WELD STUD UT TYPE
	HEG-CS-5MM-10	10			5MMx10 WELDABLE POSITIONING PIN STEEL COPPER PLTD UT TYPE
	HEG-CS-5MM-12	12			5MMx12 ST UNTHREADED CD WELD STUD UT TYPE
	HEG-CS-5MM-15	15			5MMx15 WELDABLE POSITIONING PIN STEEL COPPER PLTD UT TYPE
	HEG-CS-5MM-16	16			5MMx16 ST UNTHREADED CD WELD STUD UT TYPE
	HEG-CS-5MM-20	20			5MMx20 WELDABLE POSITIONING PIN STEEL COPPER PLTD UT TYPE
	HEG-CS-5MM-25	25			5MMx25 ST UNTHREADED CD WELD STUD UT TYPE
	HEG-CS-5MM-30	30			5MMx30 WELDABLE POSITIONING PIN STEEL COPPER PLTD UT TYPE
	HEG-CS-5MM-35	35			5MMx35 ST UNTHREADED CD WELD STUD UT TYPE
	HEG-CS-5MM-40	40			5MMx40 WELDABLE POSITIONING PIN STEEL COPPER PLTD UT TYPE
6.0	HEG-CS-6MM-10	10	7.5	0.7 - 1.4	6MMx10 ST UNTHREADED CD WELD STUD UT TYPE
	HEG-CS-6MM-12	12			6MMx12 WELDABLE POSITIONING PIN STEEL COPPER PLTD UT TYPE
	HEG-CS-6MM-15	15			6MMx15 ST UNTHREADED CD WELD STUD UT TYPE
	HEG-CS-6MM-20	20			6MMx20 WELDABLE POSITIONING PIN STEEL COPPER PLTD UT TYPE
	HEG-CS-6MM-25	25			6MMx25 ST UNTHREADED CD WELD STUD UT TYPE
	HEG-CS-6MM-30	30			6MMx30 WELDABLE POSITIONING PIN STEEL COPPER PLTD UT TYPE
	HEG-CS-6MM-35	35			6MMx35 ST UNTHREADED CD WELD STUD UT TYPE
	HEG-CS-6MM-40	40			6MMx40 WELDABLE POSITIONING PIN STEEL COPPER PLTD UT TYPE
7.1	HEG-CS-7,1MM-10	10	9.0	0.8 - 1.4	7,1MMx10 ST UNTHREADED CD WELD STUD UT TYPE
	HEG-CS-7,1MM-12	12			7,1MMx12 WELDABLE POSITIONING PIN STEEL COPPER PLTD UT TYPE
	HEG-CS-7,1MM-15	15			UNTHREADED CD WELD STUD UT TYPE
	HEG-CS-7,1MM-20	20			7,1MMx20 WELDABLE POSITIONING PIN STEEL COPPER PLTD UT TYPE
	HEG-CS-7,1MM-25	25			7,1MMx25 ST UNTHREADED CD WELD STUD UT TYPE
	HEG-CS-7,1MM-30	30			7,1MMx30 WELDABLE POSITIONING PIN STEEL COPPER PLTD UT TYPE
8.0	HEG-CS-8MM-12	12	9.0	0.8 - 1.4	8MMx12 ST UNTHREADED CD WELD STUD UT TYPE
	HEG-CS-8MM-15	15			8MMx15 WELDABLE POSITIONING PIN STEEL COPPER PLTD UT TYPE
	HEG-CS-8MM-20	20			8MMx20 ST UNTHREADED CD WELD STUD UT TYPE
	HEG-CS-8MM-25	25			8MMx25 WELDABLE POSITIONING PIN STEEL COPPER PLTD UT TYPE
	HEG-CS-8MM-30	30			8MMx30 ST UNTHREADED CD WELD STUD UT TYPE
	HEG-CS-8MM-35	35			8MMx35 WELDABLE POSITIONING PIN STEEL COPPER PLTD UT TYPE
HEG-CS-8MM-40	40	8MMx40 ST UNTHREADED CD WELD STUD UT TYPE			

Technical information:

- **One side installation**
- **Fast installation**
- **Has a central pin for good positioning**
- **Available in stainless and aluminum**
- **Drawn arc and gas shield welding version also available**

HEG-CS-A2-xMM-yy ISO 13918 UT STAINLESS STEEL UNTHREADED WELD STUD

Material: STAINLESS STEEL




Ød	Part no	l	d2	h1	Description
3.0	HEG-CS-A2-3MM-06	6	4.5	0.7-1.4	3MMx06 WELDABLE POSITIONING PIN SATINLESS UT TYPE
	HEG-CS-A2-3MM-08	8			3MMx08 INOX UNTHREADED CD WELD STUD UT TYPE
	HEG-CS-A2-3MM-10	10			3MMx10 WELDABLE POSITIONING PIN SATINLESS UT TYPE
	HEG-CS-A2-3MM-12	12			3MMx12 INOX UNTHREADED CD WELD STUD UT TYPE
	HEG-CS-A2-3MM-15	15			3MMx15 WELDABLE POSITIONING PIN SATINLESS UT TYPE
	HEG-CS-A2-3MM-20	20			3MMx20 INOX UNTHREADED CD WELD STUD UT TYPE
	HEG-CS-A2-3MM-25	25			3MMx25 WELDABLE POSITIONING PIN SATINLESS UT TYPE
4.0	HEG-CS-A2-4MM-06	6	5.5	0.7-1.4	4MMx06 INOX UNTHREADED CD WELD STUD UT TYPE
	HEG-CS-A2-4MM-08	8			4MMx08 WELDABLE POSITIONING PIN SATINLESS UT TYPE
	HEG-CS-A2-4MM-10	10			4MMx10 INOX UNTHREADED CD WELD STUD UT TYPE
	HEG-CS-A2-4MM-15	15			4MMx15 WELDABLE POSITIONING PIN SATINLESS UT TYPE
	HEG-CS-A2-4MM-20	20			4MMx20 INOX UNTHREADED CD WELD STUD UT TYPE
	HEG-CS-A2-4MM-25	25			4MMx25 WELDABLE POSITIONING PIN SATINLESS UT TYPE
	HEG-CS-A2-4MM-30	30			4MMx30 INOX UNTHREADED CD WELD STUD UT TYPE
	HEG-CS-A2-4MM-35	35			4MMx35 WELDABLE POSITIONING PIN SATINLESS UT TYPE
5.0	HEG-CS-A2-5MM-08	8	6.5	0.7-1.4	5MMx08 INOX UNTHREADED CD WELD STUD UT TYPE
	HEG-CS-A2-5MM-10	10			5MMx10 WELDABLE POSITIONING PIN SATINLESS UT TYPE
	HEG-CS-A2-5MM-12	12			5MMx12 INOX UNTHREADED CD WELD STUD UT TYPE
	HEG-CS-A2-5MM-15	15			5MMx15 WELDABLE POSITIONING PIN SATINLESS UT TYPE
	HEG-CS-A2-5MM-16	16			5MMx16 INOX UNTHREADED CD WELD STUD UT TYPE
	HEG-CS-A2-5MM-20	20			5MMx20 WELDABLE POSITIONING PIN SATINLESS UT TYPE
	HEG-CS-A2-5MM-25	25			5MMx25 INOX UNTHREADED CD WELD STUD UT TYPE
	HEG-CS-A2-5MM-30	30			5MMx30 WELDABLE POSITIONING PIN SATINLESS UT TYPE
	HEG-CS-A2-5MM-35	35			5MMx35 INOX UNTHREADED CD WELD STUD UT TYPE
	HEG-CS-A2-5MM-40	40			5MMx40 WELDABLE POSITIONING PIN SATINLESS UT TYPE
6.0	HEG-CS-A2-6MM-10	10	7.5	0.7-1.4	6MMx10 INOX UNTHREADED CD WELD STUD UT TYPE
	HEG-CS-A2-6MM-12	12			6MMx12 WELDABLE POSITIONING PIN SATINLESS UT TYPE
	HEG-CS-A2-6MM-15	15			6MMx15 INOX UNTHREADED CD WELD STUD UT TYPE
	HEG-CS-A2-6MM-20	20			6MMx20 WELDABLE POSITIONING PIN SATINLESS UT TYPE
	HEG-CS-A2-6MM-25	25			6MMx25 INOX UNTHREADED CD WELD STUD UT TYPE
	HEG-CS-A2-6MM-30	30			6MMx30 WELDABLE POSITIONING PIN SATINLESS UT TYPE
	HEG-CS-A2-6MM-35	35			6MMx35 INOX UNTHREADED CD WELD STUD UT TYPE
	HEG-CS-A2-6MM-40	40			6MMx40 WELDABLE POSITIONING PIN SATINLESS UT TYPE
7.1	HEG-CS-A2-7.1MM-10	10	9.0	0.8-1.4	7.1MMx10 INOX UNTHREADED CD WELD STUD UT TYPE
	HEG-CS-A2-7.1MM-12	12			7.1MMx12 WELDABLE POSITIONING PIN SATINLESS UT TYPE
	HEG-CS-A2-7.1MM-15	15			7.1MMx15 INOX UNTHREADED CD WELD STUD UT TYPE
	HEG-CS-A2-7.1MM-20	20			7.1MMx20 WELDABLE POSITIONING PIN SATINLESS UT TYPE
	HEG-CS-A2-7.1MM-25	25			7.1MMx25 INOX UNTHREADED CD WELD STUD UT TYPE
	HEG-CS-A2-7.1MM-30	30			7.1MMx30 WELDABLE POSITIONING PIN SATINLESS UT TYPE
8.0	HEG-CS-A2-8MM-12	12	9.0	0.8-1.4	8MMx12 INOX UNTHREADED CD WELD STUD UT TYPE
	HEG-CS-A2-8MM-15	15			8MMx15 WELDABLE POSITIONING PIN SATINLESS UT TYPE
	HEG-CS-A2-8MM-20	20			8MMx20 INOX UNTHREADED CD WELD STUD UT TYPE
	HEG-CS-A2-8MM-25	25			8MMx25 WELDABLE POSITIONING PIN SATINLESS UT TYPE
	HEG-CS-A2-8MM-30	30			8MMx30 INOX UNTHREADED CD WELD STUD UT TYPE
	HEG-CS-A2-8MM-35	35			8MMx35 WELDABLE POSITIONING PIN SATINLESS UT TYPE
	HEG-CS-A2-8MM-40	40			8MMx40 INOX UNTHREADED CD WELD STUD UT TYPE

Technical information:

- **One side installation**
- **Fast installation**
- **Has a central pin for good positioning**
- **High corrosion resistance**
- **Drawn arc and gas shield welding version also available**

HEG-CS-AL-Mxx-yy ISO 13918 PT EXTERNAL THREADED ALUMINUM WELD STUD

Material: ALUMINUM




Ød	Part no	l	d2	h1	Description
M3	HEG-CS-AL-M3-06	6	4,5	0,7 – 1,4	M3x06 WELDABLE THREADED STUD ALUMINUM PT TYPE
	HEG-CS-AL-M3-08	8			M3x08 ALU CAPACITOR DISCHARGE (CD) WELD SCREW PT TYPE
	HEG-CS-AL-M3-10	10			M3x10 WELDABLE THREADED STUD ALUMINUM PT TYPE
	HEG-CS-AL-M3-12	12			M3x12 ALU CAPACITOR DISCHARGE (CD) WELD SCREW PT TYPE
	HEG-CS-AL-M3-15	15			M3x15 WELDABLE THREADED STUD ALUMINUM PT TYPE
	HEG-CS-AL-M3-16	16			M3x16 WELDABLE THREADED STUD ALUMINUM PT TYPE
	HEG-CS-AL-M3-20	20			M3x20 ALU CAPACITOR DISCHARGE (CD) WELD SCREW PT TYPE
	HEG-CS-AL-M3-25	25			M3x25 ALU CAPACITOR DISCHARGE (CD) WELD SCREW PT TYPE
	HEG-CS-AL-M3-30	30			M3x30 WELDABLE THREADED STUD ALUMINUM PT TYPE
M4	HEG-CS-AL-M4-06	6	5,5	0,7 – 1,4	M4x06 ALU CAPACITOR DISCHARGE (CD) WELD SCREW PT TYPE
	HEG-CS-AL-M4-08	8			M4x08 WELDABLE THREADED STUD ALUMINUM PT TYPE
	HEG-CS-AL-M4-10	10			M4x10 ALU CAPACITOR DISCHARGE (CD) WELD SCREW PT TYPE
	HEG-CS-AL-M4-12	12			M4x12 WELDABLE THREADED STUD ALUMINUM PT TYPE
	HEG-CS-AL-M4-15	15			M4x15 WELDABLE THREADED STUD ALUMINUM PT TYPE
	HEG-CS-AL-M4-16	16			M4x16 ALU CAPACITOR DISCHARGE (CD) WELD SCREW PT TYPE
	HEG-CS-AL-M4-20	20			M4x20 ALU CAPACITOR DISCHARGE (CD) WELD SCREW PT TYPE
	HEG-CS-AL-M4-25	25			M4x25 WELDABLE THREADED STUD ALUMINUM PT TYPE
	HEG-CS-AL-M4-30	30			M4x30 ALU CAPACITOR DISCHARGE (CD) WELD SCREW PT TYPE
	HEG-CS-AL-M4-35	35			M4x35 WELDABLE THREADED STUD ALUMINUM PT TYPE
	HEG-CS-AL-M4-40	40			M4x40 WELDABLE THREADED STUD ALUMINUM PT TYPE
	M5	HEG-CS-AL-M5-08			8
HEG-CS-AL-M5-10		10	M5x10 WELDABLE THREADED STUD ALUMINUM PT TYPE		
HEG-CS-AL-M5-12		12	M5x12 ALU CAPACITOR DISCHARGE (CD) WELD SCREW PT TYPE		
HEG-CS-AL-M5-15		15	M5x15 WELDABLE THREADED STUD ALUMINUM PT TYPE		
HEG-CS-AL-M5-16		16	M5x16 ALU CAPACITOR DISCHARGE (CD) WELD SCREW PT TYPE		
HEG-CS-AL-M5-20		20	M5x20 WELDABLE THREADED STUD ALUMINUM PT TYPE		
HEG-CS-AL-M5-25		25	M5x25 ALU CAPACITOR DISCHARGE (CD) WELD SCREW PT TYPE		
HEG-CS-AL-M5-30		30	M5x30 WELDABLE THREADED STUD ALUMINUM PT TYPE		
HEG-CS-AL-M5-35		35	M5x35 ALU CAPACITOR DISCHARGE (CD) WELD SCREW PT TYPE		
HEG-CS-AL-M5-40		40	M5x40 WELDABLE THREADED STUD ALUMINUM PT TYPE		
HEG-CS-AL-M5-45		45	M5x45 ALU CAPACITOR DISCHARGE (CD) WELD SCREW PT TYPE		
M6	HEG-CS-AL-M6-08	8	7,5	0,7 – 1,4	M6x8 ALU CAPACITOR DISCHARGE (CD) WELD SCREW PT TYPE
	HEG-CS-AL-M6-10	10			M6x10 ALU CAPACITOR DISCHARGE (CD) WELD SCREW PT TYPE
	HEG-CS-AL-M6-12	12			M6x12 WELDABLE THREADED STUD ALUMINUM PT TYPE
	HEG-CS-AL-M6-15	15			M6x15 ALU CAPACITOR DISCHARGE (CD) WELD SCREW PT TYPE
	HEG-CS-AL-M6-16	16			M6x16 ALU CAPACITOR DISCHARGE (CD) WELD SCREW PT TYPE
	HEG-CS-AL-M6-20	20			M6x20 WELDABLE THREADED STUD ALUMINUM PT TYPE
	HEG-CS-AL-M6-25	25			M6x25 ALU CAPACITOR DISCHARGE (CD) WELD SCREW PT TYPE
	HEG-CS-AL-M6-30	30			M6x30 WELDABLE THREADED STUD ALUMINUM PT TYPE
	HEG-CS-AL-M6-35	35			M6x35 ALU CAPACITOR DISCHARGE (CD) WELD SCREW PT TYPE
	HEG-CS-AL-M6-40	40			M6x40 WELDABLE THREADED STUD ALUMINUM PT TYPE
	HEG-CS-AL-M6-45	45			M6x45 ALU CAPACITOR DISCHARGE (CD) WELD SCREW PT TYPE
	HEG-CS-AL-M6-50	50			M6x50 WELDABLE THREADED STUD ALUMINUM PT TYPE
M8	HEG-CS-AL-M8-10	10	9,0	0,8 – 1,4	M8x10 ALU CAPACITOR DISCHARGE (CD) WELD SCREW PT TYPE
	HEG-CS-AL-M8-12	12			M8x12 WELDABLE THREADED STUD ALUMINUM PT TYPE
	HEG-CS-AL-M8-15	15			M8x15 ALU CAPACITOR DISCHARGE (CD) WELD SCREW PT TYPE
	HEG-CS-AL-M8-16	16			M8x16 ALU CAPACITOR DISCHARGE (CD) WELD SCREW PT TYPE
	HEG-CS-AL-M8-20	20			M8x20 WELDABLE THREADED STUD ALUMINUM PT TYPE

	HEG-CS-AL-M8-25	25		M8x25 ALU CAPACITOR DISCHARGE (CD) WELD SCREW PT TYPE
	HEG-CS-AL-M8-30	30		M8x30 WELDABLE THREADED STUD ALUMINUM PT TYPE

Technical information:

- One side installation
- Fast installation
- Has a central pin for good positioning
- Quite good corrosion resistance
- Drawn arc and gas shield welding version also available

Material: Copper plated steel



Ød	Part no	l	d2	h1	Description
M3	HEG-CS-M3-06	6	4,5	0,7 – 1,4	M3x06 WELDABLE THREADED STUD STEEL COPPER PLTD PT TYPE
	HEG-CS-M3-08	8			M3x08 ST CAPACITOR DISCHARGE (CD) WELD SCREW PT TYPE
	HEG-CS-M3-10	10			M3x10 WELDABLE THREADED STUD STEEL COPPER PLTD PT TYPE
	HEG-CS-M3-12	12			M3x12 ST CAPACITOR DISCHARGE (CD) WELD SCREW PT TYPE
	HEG-CS-M3-15	15			M3x15 WELDABLE THREADED STUD STEEL COPPER PLTD PT TYPE
	HEG-CS-M3-16	16			M3x16 WELDABLE THREADED STUD STEEL COPPER PLTD PT TYPE
	HEG-CS-M3-20	20			M3x20 ST CAPACITOR DISCHARGE (CD) WELD SCREW PT TYPE
	HEG-CS-M3-25	25			M3x25 ST CAPACITOR DISCHARGE (CD) WELD SCREW PT TYPE
	HEG-CS-M3-30	30			M3x30 WELDABLE THREADED STUD STEEL COPPER PLTD PT TYPE
M4	HEG-CS-M4-06	6	5,5	0,7 – 1,4	M4x06 ST CAPACITOR DISCHARGE (CD) WELD SCREW PT TYPE
	HEG-CS-M4-08	8			M4x08 WELDABLE THREADED STUD STEEL COPPER PLTD PT TYPE
	HEG-CS-M4-10	10			M4x10 ST CAPACITOR DISCHARGE (CD) WELD SCREW PT TYPE
	HEG-CS-M4-12	12			M4x12 WELDABLE THREADED STUD STEEL COPPER PLTD PT TYPE
	HEG-CS-M4-15	15			M4x15 WELDABLE THREADED STUD STEEL COPPER PLTD PT TYPE
	HEG-CS-M4-16	16			M4x16 ST CAPACITOR DISCHARGE (CD) WELD SCREW PT TYPE
	HEG-CS-M4-20	20			M4x20 ST CAPACITOR DISCHARGE (CD) WELD SCREW PT TYPE
	HEG-CS-M4-25	25			M4x25 WELDABLE THREADED STUD STEEL COPPER PLTD PT TYPE
	HEG-CS-M4-30	30			M4x30 ST CAPACITOR DISCHARGE (CD) WELD SCREW PT TYPE
	HEG-CS-M4-35	35			M4x35 WELDABLE THREADED STUD STEEL COPPER PLTD PT TYPE
	HEG-CS-M4-40	40			M4x40 WELDABLE THREADED STUD STEEL COPPER PLTD PT TYPE
M5	HEG-CS-M5-08	8	6,5	0,7 – 1,4	M5x08 ST CAPACITOR DISCHARGE (CD) WELD SCREW PT TYPE
	HEG-CS-M5-10	10			M5x10 WELDABLE THREADED STUD STEEL COPPER PLTD PT TYPE
	HEG-CS-M5-12	12			M5x12 ST CAPACITOR DISCHARGE (CD) WELD SCREW PT TYPE
	HEG-CS-M5-15	15			M5x15 WELDABLE THREADED STUD STEEL COPPER PLTD PT TYPE
	HEG-CS-M5-16	16			M5x16 ST CAPACITOR DISCHARGE (CD) WELD SCREW PT TYPE
	HEG-CS-M5-20	20			M5x20 WELDABLE THREADED STUD STEEL COPPER PLTD PT TYPE
	HEG-CS-M5-25	25			M5x25 ST CAPACITOR DISCHARGE (CD) WELD SCREW PT TYPE
	HEG-CS-M5-30	30			M5x30 WELDABLE THREADED STUD STEEL COPPER PLTD PT TYPE
	HEG-CS-M5-35	35			M5x35 ST CAPACITOR DISCHARGE (CD) WELD SCREW PT TYPE
	HEG-CS-M5-40	40			M5x40 WELDABLE THREADED STUD STEEL COPPER PLTD PT TYPE
M6	HEG-CS-M6-08	8	7,5	0,7 – 1,4	M6x8 ST CAPACITOR DISCHARGE (CD) WELD SCREW PT TYPE
	HEG-CS-M6-10	10			M6x10 ST CAPACITOR DISCHARGE (CD) WELD SCREW PT TYPE
	HEG-CS-M6-12	12			M6x12 WELDABLE THREADED STUD STEEL COPPER PLTD PT TYPE
	HEG-CS-M6-15	15			M6x15 ST CAPACITOR DISCHARGE (CD) WELD SCREW PT TYPE
	HEG-CS-M6-16	16			M6x16 ST CAPACITOR DISCHARGE (CD) WELD SCREW PT TYPE
	HEG-CS-M6-20	20			M6x20 WELDABLE THREADED STUD STEEL COPPER PLTD PT TYPE
	HEG-CS-M6-25	25			M6x25 ST CAPACITOR DISCHARGE (CD) WELD SCREW PT TYPE
	HEG-CS-M6-30	30			M6x30 WELDABLE THREADED STUD STEEL COPPER PLTD PT TYPE
	HEG-CS-M6-35	35			M6x35 ST CAPACITOR DISCHARGE (CD) WELD SCREW PT TYPE
	HEG-CS-M6-40	40			M6x40 WELDABLE THREADED STUD STEEL COPPER PLTD PT TYPE
	HEG-CS-M6-45	45			M6x45 ST CAPACITOR DISCHARGE (CD) WELD SCREW PT TYPE
	HEG-CS-M6-50	50			M6x50 WELDABLE THREADED STUD STEEL COPPER PLTD PT TYPE
	HEG-CS-M8-10	10			M8x10 ST CAPACITOR DISCHARGE (CD) WELD SCREW PT TYPE
	HEG-CS-M8-12	12			M8x12 WELDABLE THREADED STUD STEEL COPPER PLTD PT TYPE
	HEG-CS-M8-15	15			M8x15 ST CAPACITOR DISCHARGE (CD) WELD SCREW PT TYPE
	HEG-CS-M8-16	16			M8x16 ST CAPACITOR DISCHARGE (CD) WELD SCREW PT TYPE
	HEG-CS-M8-20	20			M8x20 WELDABLE THREADED STUD STEEL COPPER PLTD PT TYPE


M8	HEG-CS-M8-25	25	9.0	0,8 – 1,4	M8x25 ST CAPACITOR DISCHARGE (CD) WELD SCREW PT TYPE
	HEG-CS-M8-30	30			M8x30 WELDABLE THREADED STUD STEEL COPPER PLTD PT TYPE
	HEG-CS-M8-35	35			M8x35 ST CAPACITOR DISCHARGE (CD) WELD SCREW PT TYPE
	HEG-CS-M8-40	40			M8x40 WELDABLE THREADED STUD STEEL COPPER PLTD PT TYPE
	HEG-CS-M8-45	45			M8x45 ST CAPACITOR DISCHARGE (CD) WELD SCREW PT TYPE
	HEG-CS-M8-50	50			M8x50 WELDABLE THREADED STUD STEEL COPPER PLTD PT TYPE
	HEG-CS-M8-55	55			M8x55 ST CAPACITOR DISCHARGE (CD) WELD SCREW PT TYPE
	HEG-CS-M8-60	60			M8x60 WELDABLE THREADED STUD STEEL COPPER PLTD PT TYPE
M10	HEG-CS-M10-12	12	11.0	0,8 – 1,4	M10x12 WELDABLE THREADED STUD STEEL COPPER PLTD PT TYPE
	HEG-CS-M10-15	15			M10x15 ST CAPACITOR DISCHARGE (CD) WELD SCREW PT TYPE
	HEG-CS-M10-20	20			M10x20 WELDABLE THREADED STUD STEEL COPPER PLTD PT TYPE
	HEG-CS-M10-25	25			M10x25 ST CAPACITOR DISCHARGE (CD) WELD SCREW PT TYPE
	HEG-CS-M10-30	30			M10x30 WELDABLE THREADED STUD STEEL COPPER PLTD PT TYPE
	HEG-CS-M10-35	35			M10x35 ST CAPACITOR DISCHARGE (CD) WELD SCREW PT TYPE
	HEG-CS-M10-40	40			M10x40 WELDABLE THREADED STUD STEEL COPPER PLTD PT TYPE
M12	HEG-CS-M12-15	15	12.6	0,8 - 1,8	M12x15 ST CAPACITOR DISCHARGE (CD) WELD SCREW PT TYPE
	HEG-CS-M12-20	20			M12x20 WELDABLE THREADED STUD STEEL COPPER PLTD PT TYPE
	HEG-CS-M12-25	25			M12x25 ST CAPACITOR DISCHARGE (CD) WELD SCREW PT TYPE
	HEG-CS-M12-30	30			M12x30 WELDABLE THREADED STUD STEEL COPPER PLTD PT TYPE

Technical information:

- One side installation
- Fast installation
- Has a central pin for good positioning
- Available in stainless and aluminum
- Drawn arc and gas shield welding version also available

HEG-CS-A2-Mxx-yy ISO 13918 PT EXTERNAL THREADED STAINLESS STEEL WELD STUD

Material: STAINLESS STEEL



Ød	Part no	l	d2	h1	Description
M3	HEG-CS-A2-M3-06	6	4,5	0,7 – 1,4	M3x06 WELDABLE THREADED STUD STAINLESS PT TYPE
	HEG-CS-A2-M3-08	8			M3x08 INOX CAPACITOR DISCHARGE (CD) WELD SCREW PT TYPE
	HEG-CS-A2-M3-10	10			M3x10 WELDABLE THREADED STUD STAINLESS PT TYPE
	HEG-CS-A2-M3-12	12			M3x12 INOX CAPACITOR DISCHARGE (CD) WELD SCREW PT TYPE
	HEG-CS-A2-M3-15	15			M3x15 WELDABLE THREADED STUD STAINLESS PT TYPE
	HEG-CS-A2-M3-16	16			M3x16 WELDABLE THREADED STUD STAINLESS PT TYPE
	HEG-CS-A2-M3-20	20			M3x20 INOX CAPACITOR DISCHARGE (CD) WELD SCREW PT TYPE
	HEG-CS-A2-M3-25	25			M3x25 INOX CAPACITOR DISCHARGE (CD) WELD SCREW PT TYPE
	HEG-CS-A2-M3-30	30			M3x30 WELDABLE THREADED STUD STAINLESS PT TYPE
M4	HEG-CS-A2-M4-06	6	5,5	0,7 – 1,4	M4x06 INOX CAPACITOR DISCHARGE (CD) WELD SCREW PT TYPE
	HEG-CS-A2-M4-08	8			M4x08 WELDABLE THREADED STUD STAINLESS PT TYPE
	HEG-CS-A2-M4-10	10			M4x10 INOX CAPACITOR DISCHARGE (CD) WELD SCREW PT TYPE
	HEG-CS-A2-M4-12	12			M4x12 WELDABLE THREADED STUD STAINLESS PT TYPE
	HEG-CS-A2-M4-15	15			M4x15 WELDABLE THREADED STUD STAINLESS PT TYPE
	HEG-CS-A2-M4-16	16			M4x16 INOX CAPACITOR DISCHARGE (CD) WELD SCREW PT TYPE
	HEG-CS-A2-M4-20	20			M4x20 INOX CAPACITOR DISCHARGE (CD) WELD SCREW PT TYPE
	HEG-CS-A2-M4-25	25			M4x25 WELDABLE THREADED STUD STAINLESS PT TYPE
	HEG-CS-A2-M4-30	30			M4x30 INOX CAPACITOR DISCHARGE (CD) WELD SCREW PT TYPE
	HEG-CS-A2-M4-35	35			M4x35 WELDABLE THREADED STUD STAINLESS PT TYPE
	HEG-CS-A2-M4-40	40			M4x40 WELDABLE THREADED STUD STAINLESS PT TYPE
M5	HEG-CS-A2-M5-08	8	6,5	0,7 – 1,4	M5x08 INOX CAPACITOR DISCHARGE (CD) WELD SCREW PT TYPE
	HEG-CS-A2-M5-10	10			M5x10 WELDABLE THREADED STUD STAINLESS PT TYPE
	HEG-CS-A2-M5-12	12			M5x12 INOX CAPACITOR DISCHARGE (CD) WELD SCREW PT TYPE
	HEG-CS-A2-M5-15	15			M5x15 WELDABLE THREADED STUD STAINLESS PT TYPE
	HEG-CS-A2-M5-16	16			M5x16 INOX CAPACITOR DISCHARGE (CD) WELD SCREW PT TYPE
	HEG-CS-A2-M5-20	20			M5x20 WELDABLE THREADED STUD STAINLESS PT TYPE
	HEG-CS-A2-M5-25	25			M5x25 INOX CAPACITOR DISCHARGE (CD) WELD SCREW PT TYPE
	HEG-CS-A2-M5-30	30			M5x30 WELDABLE THREADED STUD STAINLESS PT TYPE
	HEG-CS-A2-M5-35	35			M5x35 INOX CAPACITOR DISCHARGE (CD) WELD SCREW PT TYPE
	HEG-CS-A2-M5-40	40			M5x40 WELDABLE THREADED STUD STAINLESS PT TYPE
	HEG-CS-A2-M5-45	45			M5x45 INOX CAPACITOR DISCHARGE (CD) WELD SCREW PT TYPE
M6	HEG-CS-A2-M6-08	8	7,5	0,7 – 1,4	M6x8 INOX CAPACITOR DISCHARGE (CD) WELD SCREW PT TYPE
	HEG-CS-A2-M6-10	10			M6x10 INOX CAPACITOR DISCHARGE (CD) WELD SCREW PT TYPE
	HEG-CS-A2-M6-12	12			M6x12 WELDABLE THREADED STUD STAINLESS PT TYPE
	HEG-CS-A2-M6-15	15			M6x15 INOX CAPACITOR DISCHARGE (CD) WELD SCREW PT TYPE
	HEG-CS-A2-M6-16	16			M6x16 INOX CAPACITOR DISCHARGE (CD) WELD SCREW PT TYPE
	HEG-CS-A2-M6-20	20			M6x20 WELDABLE THREADED STUD STAINLESS PT TYPE
	HEG-CS-A2-M6-25	25			M6x25 INOX CAPACITOR DISCHARGE (CD) WELD SCREW PT TYPE
	HEG-CS-A2-M6-30	30			M6x30 WELDABLE THREADED STUD STAINLESS PT TYPE
	HEG-CS-A2-M6-35	35			M6x35 INOX CAPACITOR DISCHARGE (CD) WELD SCREW PT TYPE
	HEG-CS-A2-M6-40	40			M6x40 WELDABLE THREADED STUD STAINLESS PT TYPE
	HEG-CS-A2-M6-45	45			M6x45 INOX CAPACITOR DISCHARGE (CD) WELD SCREW PT TYPE
	HEG-CS-A2-M6-50	50			M6x50 WELDABLE THREADED STUD STAINLESS PT TYPE
	HEG-CS-A2-M8-10	10			M8x10 INOX CAPACITOR DISCHARGE (CD) WELD SCREW PT TYPE
	HEG-CS-A2-M8-12	12			M8x12 WELDABLE THREADED STUD STAINLESS PT TYPE
	HEG-CS-A2-M8-15	15			M8x15 INOX CAPACITOR DISCHARGE (CD) WELD SCREW PT TYPE
	HEG-CS-A2-M8-16	16			M8x16 INOX CAPACITOR DISCHARGE (CD) WELD SCREW PT TYPE
	HEG-CS-A2-M8-20	20			M8x20 WELDABLE THREADED STUD STAINLESS PT TYPE


M8	HEG-CS-A2-M8-25	25	9.0	0,8 – 1,4	M8x25 INOX CAPACITOR DISCHARGE (CD) WELD SCREW PT TYPE
	HEG-CS-A2-M8-30	30			M8x30 WELDABLE THREADED STUD STAINLESS PT TYPE
	HEG-CS-A2-M8-35	35			M8x35 INOX CAPACITOR DISCHARGE (CD) WELD SCREW PT TYPE
	HEG-CS-A2-M8-40	40			M8x40 WELDABLE THREADED STUD STAINLESS PT TYPE
	HEG-CS-A2-M8-45	45			M8x45 INOX CAPACITOR DISCHARGE (CD) WELD SCREW PT TYPE
	HEG-CS-A2-M8-50	50			M8x50 WELDABLE THREADED STUD STAINLESS PT TYPE
	HEG-CS-A2-M8-55	55			M8x55 INOX CAPACITOR DISCHARGE (CD) WELD SCREW PT TYPE
	HEG-CS-A2-M8-60	60			M8x60 WELDABLE THREADED STUD STAINLESS PT TYPE
M10	HEG-CS-A2-M10-12	12	11.0		M10x12 WELDABLE THREADED STUD STAINLESS PT TYPE
	HEG-CS-A2-M10-15	15			M10x15 INOX CAPACITOR DISCHARGE (CD) WELD SCREW PT TYPE
	HEG-CS-A2-M10-20	20			M10x20 WELDABLE THREADED STUD STAINLESS PT TYPE
	HEG-CS-A2-M10-25	25			M10x25 INOX CAPACITOR DISCHARGE (CD) WELD SCREW PT TYPE
	HEG-CS-A2-M10-30	30			M10x30 WELDABLE THREADED STUD STAINLESS PT TYPE
	HEG-CS-A2-M10-35	35			M10x35 INOX CAPACITOR DISCHARGE (CD) WELD SCREW PT TYPE
	HEG-CS-A2-M10-40	40			M10x40 WELDABLE THREADED STUD STAINLESS PT TYPE

Technical information:

- One side installation
- Fast installation
- Has a central pin for good positioning
- High corrosion resistance
- Drawn arc and gas shield welding version also available

HEG-TÁVT-AL-Mxx-yy ISO 13918 IT INTERNAL THREAD ALUMINUM WELD STUD

Material: ALUMINUM




ØD6	Part no	l	d1	h1	Description
M3	HEG-TÁVT-AL-M3-06	6	5,0	0,7 – 1,4	M3x06 WELDABLE INTERNAL THREADED STUD ALUMINUM IT TYPE
	HEG-TÁVT-AL-M3-08	8			M3x08 ALU CAPACITOR DISCHARGE (CD) WELD STANDOFF IT TYPE
	HEG-TÁVT-AL-M3-10	10			M3x10 WELDABLE INTERNAL THREADED STUD ALUMINUM IT TYPE
	HEG-TÁVT-AL-M3-12	12			M3x12 ALU CAPACITOR DISCHARGE (CD) WELD STANDOFF IT TYPE
	HEG-TÁVT-AL-M3-15	15			M3x15 WELDABLE INTERNAL THREADED STUD ALUMINUM IT TYPE
	HEG-TÁVT-AL-M3-16	16			M3x16 WELDABLE INTERNAL THREADED STUD ALUMINUM IT TYPE
	HEG-TÁVT-AL-M3-20	20			M3x20 ALU CAPACITOR DISCHARGE (CD) WELD STANDOFF IT TYPE
	HEG-TÁVT-AL-M3-25	25			M3x25 ALU CAPACITOR DISCHARGE (CD) WELD STANDOFF IT TYPE
	HEG-TÁVT-AL-M3-30	30			M3x30 WELDABLE INTERNAL THREADED STUD ALUMINUM IT TYPE
M4	HEG-TÁVT-AL-M4-08	8	6,0	0,7 – 1,4	M4x08 WELDABLE INTERNAL THREADED STUD ALUMINUM IT TYPE
	HEG-TÁVT-AL-M4-10	10			M4x10 ALU CAPACITOR DISCHARGE (CD) WELD STANDOFF IT TYPE
	HEG-TÁVT-AL-M4-12	12			M4x12 WELDABLE INTERNAL THREADED STUD ALUMINUM IT TYPE
	HEG-TÁVT-AL-M4-15	15			M4x15 WELDABLE INTERNAL THREADED STUD ALUMINUM IT TYPE
	HEG-TÁVT-AL-M4-20	20			M4x20 ALU CAPACITOR DISCHARGE (CD) WELD STANDOFF IT TYPE
	HEG-TÁVT-AL-M4-25	25			M4x25 WELDABLE INTERNAL THREADED STUD ALUMINUM IT TYPE
	HEG-TÁVT-AL-M4-30	30			M4x30 ALU CAPACITOR DISCHARGE (CD) WELD STANDOFF IT TYPE
M5	HEG-TÁVT-AL-M5-10	10	7,1	0,8 – 1,4	M5x10 WELDABLE INTERNAL THREADED STUD ALUMINUM IT TYPE
	HEG-TÁVT-AL-M5-12	12			M5x12 ALU CAPACITOR DISCHARGE (CD) WELD STANDOFF IT TYPE
	HEG-TÁVT-AL-M5-15	15			M5x15 WELDABLE INTERNAL THREADED STUD ALUMINUM IT TYPE
	HEG-TÁVT-AL-M5-20	20			M5x20 WELDABLE INTERNAL THREADED STUD ALUMINUM IT TYPE

Technical information:

- One side installation
- Fast installation
- Has a central pin for good positioning
- Quite good corrosion resistance
- Drawn arc and gas shield welding version also available

HEG-TÁVT-Mxx-yy ISO 13918 IT INTERNAL THREADED COPPER PLATED STEEL WELD STUD



Material: Copper plated steel


ØD6	Part no	l	d1	h1	Description
M3	HEG-TÁVT-M3-06	6	5,0	0,7 – 1,4	M3x06 WELDABLE INTERNAL THREADED STUD STEEL COPPER PLTD IT TYPE
	HEG-TÁVT-M3-08	8			M3x08 ST CAPACITOR DISCHARGE (CD) WELD STANDOFF IT TYPE
	HEG-TÁVT-M3-10	10			M3x10 WELDABLE INTERNAL THREADED STUD STEEL COPPER PLTD IT TYPE
	HEG-TÁVT-M3-12	12			M3x12 ST CAPACITOR DISCHARGE (CD) WELD STANDOFF IT TYPE
	HEG-TÁVT-M3-15	15			M3x15 WELDABLE INTERNAL THREADED STUD STEEL COPPER PLTD IT TYPE
	HEG-TÁVT-M3-16	16			M3x16 WELDABLE INTERNAL THREADED STUD STEEL COPPER PLTD IT TYPE
	HEG-TÁVT-M3-20	20			M3x20 ST CAPACITOR DISCHARGE (CD) WELD STANDOFF IT TYPE
	HEG-TÁVT-M3-25	25			M3x25 ST CAPACITOR DISCHARGE (CD) WELD STANDOFF IT TYPE
	HEG-TÁVT-M3-30	30			M3x30 WELDABLE INTERNAL THREADED STUD STEEL COPPER PLTD IT TYPE
M4	HEG-TÁVT-M4-08	8	6,0	0,7 – 1,4	M4x08 WELDABLE INTERNAL THREADED STUD STEEL COPPER PLTD IT TYPE
	HEG-TÁVT-M4-10	10			M4x10 ST CAPACITOR DISCHARGE (CD) WELD STANDOFF IT TYPE
	HEG-TÁVT-M4-12	12			M4x12 WELDABLE INTERNAL THREADED STUD STEEL COPPER PLTD IT TYPE
	HEG-TÁVT-M4-15	15			M4x15 WELDABLE INTERNAL THREADED STUD STEEL COPPER PLTD IT TYPE
	HEG-TÁVT-M4-16	16			M4x16 ST CAPACITOR DISCHARGE (CD) WELD STANDOFF IT TYPE
	HEG-TÁVT-M4-20	20			M4x20 ST CAPACITOR DISCHARGE (CD) WELD STANDOFF IT TYPE
	HEG-TÁVT-M4-25	25			M4x25 WELDABLE INTERNAL THREADED STUD STEEL COPPER PLTD IT TYPE
	HEG-TÁVT-M4-30	30			M4x30 ST CAPACITOR DISCHARGE (CD) WELD STANDOFF IT TYPE
	HEG-TÁVT-M4-35	35			M4x35 WELDABLE INTERNAL THREADED STUD STEEL COPPER PLTD IT TYPE
HEG-TÁVT-M4-40	40	M4x40 WELDABLE INTERNAL THREADED STUD STEEL COPPER PLTD IT TYPE			
M5	HEG-TÁVT-M5-10	10	7,1	0,8 – 1,4	M5x10 WELDABLE INTERNAL THREADED STUD STEEL COPPER PLTD IT TYPE
	HEG-TÁVT-M5-12	12			M5x12 ST CAPACITOR DISCHARGE (CD) WELD STANDOFF IT TYPE
	HEG-TÁVT-M5-15	15			M5x15 WELDABLE INTERNAL THREADED STUD STEEL COPPER PLTD IT TYPE
	HEG-TÁVT-M5-16	16			M5x16 ST CAPACITOR DISCHARGE (CD) WELD STANDOFF IT TYPE
	HEG-TÁVT-M5-20	20			M5x20 WELDABLE INTERNAL THREADED STUD STEEL COPPER PLTD IT TYPE
	HEG-TÁVT-M5-25	25			M5x25 ST CAPACITOR DISCHARGE (CD) WELD STANDOFF IT TYPE
	HEG-TÁVT-M5-30	30			M5x30 WELDABLE INTERNAL THREADED STUD STEEL COPPER PLTD IT TYPE
M6	HEG-TÁVT-M6-12	12	8,0	0,8 – 1,4	M6x12 WELDABLE INTERNAL THREADED STUD STEEL COPPER PLTD IT TYPE
	HEG-TÁVT-M6-15	15			M6x15 ST CAPACITOR DISCHARGE (CD) WELD STANDOFF IT TYPE
	HEG-TÁVT-M6-16	16			M6x16 ST CAPACITOR DISCHARGE (CD) WELD STANDOFF IT TYPE
	HEG-TÁVT-M6-20	20			M6x20 WELDABLE INTERNAL THREADED STUD STEEL COPPER PLTD IT TYPE
	HEG-TÁVT-M6-25	25			M6x25 ST CAPACITOR DISCHARGE (CD) WELD STANDOFF IT TYPE
	HEG-TÁVT-M6-30	30			M6x30 WELDABLE INTERNAL THREADED STUD STEEL COPPER PLTD IT TYPE
	HEG-TÁVT-M6-35	35			M6x35 ST CAPACITOR DISCHARGE (CD) WELD STANDOFF IT TYPE
HEG-TÁVT-M6-40	40	M6x40 WELDABLE INTERNAL THREADED STUD STEEL COPPER PLTD IT TYPE			
M8	HEG-TÁVT-M8-15	15	10,8	0,8 – 1,4	M8x15 ST CAPACITOR DISCHARGE (CD) WELD STANDOFF IT TYPE
	HEG-TÁVT-M8-20	20			M8x20 WELDABLE INTERNAL THREADED STUD STEEL COPPER PLTD IT TYPE
	HEG-TÁVT-M8-25	25			M8x25 ST CAPACITOR DISCHARGE (CD) WELD STANDOFF IT TYPE
	HEG-TÁVT-M8-30	30			M8x30 WELDABLE INTERNAL THREADED STUD STEEL COPPER PLTD IT TYPE
	HEG-TÁVT-M8-35	35			M8x35 ST CAPACITOR DISCHARGE (CD) WELD STANDOFF IT TYPE
HEG-TÁVT-M8-40	40	M8x40 WELDABLE INTERNAL THREADED STUD STEEL COPPER PLTD IT TYPE			

Technical information:

- One side installation
- Fast installation
- Has a central pin for good positioning
- Available in stainless and aluminum
- Drawn arc and gas shield welding version also available

HEG-TÁVT-A2-Mxx-yy ISO 13918 IT INTERNAL THREAD STAINLESS STEEL WELD STUD

Material: STAINLESS STEEL




ØD6	Part no	l	d1	h1	Description
M3	HEG-TÁVT-A2-M3-06	6	5,0	0,7 – 1,4	M3x06 WELDABLE INTERNAL THREADED STUD STAINLESS IT TYPE
	HEG-TÁVT-A2-M3-08	8			M3x08 INOX CAPACITOR DISCHARGE (CD) WELD STANDOFF IT TYPE
	HEG-TÁVT-A2-M3-10	10			M3x10 WELDABLE INTERNAL THREADED STUD STAINLESS IT TYPE
	HEG-TÁVT-A2-M3-12	12			M3x12 INOX CAPACITOR DISCHARGE (CD) WELD STANDOFF IT TYPE
	HEG-TÁVT-A2-M3-15	15			M3x15 WELDABLE INTERNAL THREADED STUD STAINLESS IT TYPE
	HEG-TÁVT-A2-M3-16	16			M3x16 WELDABLE INTERNAL THREADED STUD STAINLESS IT TYPE
	HEG-TÁVT-A2-M3-20	20			M3x20 INOX CAPACITOR DISCHARGE (CD) WELD STANDOFF IT TYPE
	HEG-TÁVT-A2-M3-25	25			M3x25 INOX CAPACITOR DISCHARGE (CD) WELD STANDOFF IT TYPE
	HEG-TÁVT-A2-M3-30	30			M3x30 WELDABLE INTERNAL THREADED STUD STAINLESS IT TYPE
M4	HEG-TÁVT-A2-M4-08	8	6,0	0,7 – 1,4	M4x08 WELDABLE INTERNAL THREADED STUD STAINLESS IT TYPE
	HEG-TÁVT-A2-M4-10	10			M4x10 INOX CAPACITOR DISCHARGE (CD) WELD STANDOFF IT TYPE
	HEG-TÁVT-A2-M4-12	12			M4x12 WELDABLE INTERNAL THREADED STUD STAINLESS IT TYPE
	HEG-TÁVT-A2-M4-15	15			M4x15 WELDABLE INTERNAL THREADED STUD STAINLESS IT TYPE
	HEG-TÁVT-A2-M4-16	16			M4x16 INOX CAPACITOR DISCHARGE (CD) WELD STANDOFF IT TYPE
	HEG-TÁVT-A2-M4-20	20			M4x20 INOX CAPACITOR DISCHARGE (CD) WELD STANDOFF IT TYPE
	HEG-TÁVT-A2-M4-25	25			M4x25 WELDABLE INTERNAL THREADED STUD STAINLESS IT TYPE
	HEG-TÁVT-A2-M4-30	30			M4x30 INOX CAPACITOR DISCHARGE (CD) WELD STANDOFF IT TYPE
	HEG-TÁVT-A2-M4-35	35			M4x35 WELDABLE INTERNAL THREADED STUD STAINLESS IT TYPE
	HEG-TÁVT-A2-M4-40	40			M4x40 WELDABLE INTERNAL THREADED STUD STAINLESS IT TYPE
M5	HEG-TÁVT-A2-M5-10	10	7,1	0,8 – 1,4	M5x10 WELDABLE INTERNAL THREADED STUD STAINLESS IT TYPE
	HEG-TÁVT-A2-M5-12	12			M5x12 INOX CAPACITOR DISCHARGE (CD) WELD STANDOFF IT TYPE
	HEG-TÁVT-A2-M5-15	15			M5x15 WELDABLE INTERNAL THREADED STUD STAINLESS IT TYPE
	HEG-TÁVT-A2-M5-16	16			M5x16 INOX CAPACITOR DISCHARGE (CD) WELD STANDOFF IT TYPE
	HEG-TÁVT-A2-M5-20	20			M5x20 WELDABLE INTERNAL THREADED STUD STAINLESS IT TYPE
	HEG-TÁVT-A2-M5-25	25			M5x25 INOX CAPACITOR DISCHARGE (CD) WELD STANDOFF IT TYPE
	HEG-TÁVT-A2-M5-30	30			M5x30 WELDABLE INTERNAL THREADED STUD STAINLESS IT TYPE
M6	HEG-TÁVT-A2-M6-12	12	8,0	0,8 – 1,4	M6x12 WELDABLE INTERNAL THREADED STUD STAINLESS IT TYPE
	HEG-TÁVT-A2-M6-15	15			M6x15 INOX CAPACITOR DISCHARGE (CD) WELD STANDOFF IT TYPE
	HEG-TÁVT-A2-M6-16	16			M6x16 INOX CAPACITOR DISCHARGE (CD) WELD STANDOFF IT TYPE
	HEG-TÁVT-A2-M6-20	20			M6x20 WELDABLE INTERNAL THREADED STUD STAINLESS IT TYPE
	HEG-TÁVT-A2-M6-25	25			M6x25 INOX CAPACITOR DISCHARGE (CD) WELD STANDOFF IT TYPE
	HEG-TÁVT-A2-M6-30	30			M6x30 WELDABLE INTERNAL THREADED STUD STAINLESS IT TYPE
	HEG-TÁVT-A2-M6-35	35			M6x35 INOX CAPACITOR DISCHARGE (CD) WELD STANDOFF IT TYPE
	HEG-TÁVT-A2-M6-40	40			M6x40 WELDABLE INTERNAL THREADED STUD STAINLESS IT TYPE
M8	HEG-TÁVT-A2-M8-15	15	10,8	0,8 – 1,4	M8x15 INOX CAPACITOR DISCHARGE (CD) WELD STANDOFF IT TYPE
	HEG-TÁVT-A2-M8-20	20			M8x20 WELDABLE INTERNAL THREADED STUD STAINLESS IT TYPE
	HEG-TÁVT-A2-M8-25	25			M8x25 INOX CAPACITOR DISCHARGE (CD) WELD STANDOFF IT TYPE
	HEG-TÁVT-A2-M8-30	30			M8x30 WELDABLE INTERNAL THREADED STUD STAINLESS IT TYPE
	HEG-TÁVT-A2-M8-35	35			M8x35 INOX CAPACITOR DISCHARGE (CD) WELD STANDOFF IT TYPE
	HEG-TÁVT-A2-M8-40	40			M8x40 WELDABLE INTERNAL THREADED STUD STAINLESS IT TYPE

Technical information:

- One side installation
- Fast installation
- Has a central pin for good positioning
- High corrosion resistance
- Drawn arc and gas shield welding version also available

HEG-TUSK-x,x-yy-MATEISO 13918 IN WELDING NAIL / WELD PIN / INSULATION NAIL

Material: ALUMINUM OR COPPER PLATED STEEL OR STAINLESS STEEL (A2)



ØD	Part no	l	d2	h1	Description
2,0	HEG-TUSK-2,0-20	20	4,5	0,7 – 1,4	2,0x20 CAPACITOR DISCHARGE (CD) WELDABLE NAIL FOR INSUALTION
	HEG-TUSK-2,0-25	25			2,0x25 CAPACITOR DISCHARGE (CD) WELDABLE NAIL FOR INSUALTION
	HEG-TUSK-2,0-30	30			2,0x30 CAPACITOR DISCHARGE (CD) WELDABLE NAIL FOR INSUALTION
	HEG-TUSK-2,0-40	40			2,0x40 CAPACITOR DISCHARGE (CD) WELDABLE NAIL FOR INSUALTION
	HEG-TUSK-2,0-50	50			2,0x50 CAPACITOR DISCHARGE (CD) WELDABLE NAIL FOR INSUALTION
	HEG-TUSK-2,0-60	60			2,0x60 CAPACITOR DISCHARGE (CD) WELDABLE NAIL FOR INSUALTION
	HEG-TUSK-2,0-65	65			2,0x65 CAPACITOR DISCHARGE (CD) WELDABLE NAIL FOR INSUALTION
	HEG-TUSK-2,0-70	70			2,0x70 CAPACITOR DISCHARGE (CD) WELDABLE PIN FOR INSUALTION
	HEG-TUSK-2,0-85	85			2,0x85 CAPACITOR DISCHARGE (CD) WELDABLE NAIL FOR INSUALTION
	HEG-TUSK-2,0-100	100			2,0x100 CAPACITOR DISCHARGE (CD) WELDABLE PIN FOR INSUALTION
	HEG-TUSK-2,0-110	110			2,0x110 CAPACITOR DISCHARGE (CD) WELDABLE NAIL FOR INSUALTION
	HEG-TUSK-2,0-120	120			2,0x120 CAPACITOR DISCHARGE (CD) WELDABLE PIN FOR INSUALTION
	HEG-TUSK-2,0-150	150			2,0x150 CAPACITOR DISCHARGE (CD) WELDABLE NAIL FOR INSUALTION
	HEG-TUSK-2,0-200	200			2,0x200 CAPACITOR DISCHARGE (CD) WELDABLE PIN FOR INSUALTION
2,6	HEG-TUSK-2,6-30	30	5,0	0,7 – 1,4	2,6x30 CAPACITOR DISCHARGE (CD) WELDABLE NAIL FOR INSUALTION
	HEG-TUSK-2,6-50	50			2,6x50 CAPACITOR DISCHARGE (CD) WELDABLE PIN FOR INSUALTION
	HEG-TUSK-2,6-65	65			2,6x65 CAPACITOR DISCHARGE (CD) WELDABLE NAIL FOR INSUALTION
	HEG-TUSK-2,6-85	85			2,6x85 CAPACITOR DISCHARGE (CD) WELDABLE PIN FOR INSUALTION
	HEG-TUSK-2,6-100	100			2,6x100 CAPACITOR DISCHARGE (CD) WELDABLE NAIL FOR INSUALTION
	HEG-TUSK-2,6-150	150			2,6x150 CAPACITOR DISCHARGE (CD) WELDABLE PIN FOR INSUALTION
3,0	HEG-TUSK-3,0-20	20	5,5	0,7 – 1,4	3,0x20 CAPACITOR DISCHARGE (CD) WELDABLE NAIL FOR INSUALTION
	HEG-TUSK-3,0-50	50			3,0x50 CAPACITOR DISCHARGE (CD) WELDABLE PIN FOR INSUALTION
	HEG-TUSK-3,0-65	65			3,0x65 CAPACITOR DISCHARGE (CD) WELDABLE NAIL FOR INSUALTION
	HEG-TUSK-3,0-70	70			3,0x70 CAPACITOR DISCHARGE (CD) WELDABLE PIN FOR INSUALTION
	HEG-TUSK-3,0-80	80			3,0x80 CAPACITOR DISCHARGE (CD) WELDABLE NAIL FOR INSUALTION
	HEG-TUSK-3,0-85	85			3,0x85 CAPACITOR DISCHARGE (CD) WELDABLE PIN FOR INSUALTION
	HEG-TUSK-3,0-100	100			3,0x100 CAPACITOR DISCHARGE (CD) WELDABLE NAIL FOR INSUALTION
	HEG-TUSK-3,0-150	150			3,0x150 CAPACITOR DISCHARGE (CD) WELDABLE PIN FOR INSUALTION

RETAINING CLIPS/WASHERS MADE FROM STEEL OR INOX


ØD	Part no	l	d2	h1	Description
38,0	HEG-TUSKTANY-2,0		1,8	0,5 – 1,0	ISULATION FIXING WASHER FOR WELDING NAIL
	HEG-TUSKTANY-2,6		2,4		ISULATION FIXING CLIP FOR WELDING PIN
	HEG-TUSKTANY-3,0		2,8		ISULATION FIXING WASHER FOR WELDING NAIL

Technical information:

- One side installation
- Fast installation
- Has a central pin for good positioning

HEG-FÜL-Fx-ALAPANYA(ISO 13918 GROUND CLIP / GROUND CONNECTOR / EARTHING TAB ONE OR TWO CONNECTION POINTS

Material: ALUMINUM OR COPPER PLATED STEEL OR STAINLESS STEEL (A2)



B x S	Part no	H	M	L	Description
6,3 x 0,8	HEG-FÜL-F1 AL	8,0	11,3	9,3	ONE FASTON WELDABLE GROUND CLIP MADE OF ALUMINUM
	HEG-FÜL-F2 AL			10,1	TWO FASTON ALUMINUM WELDABLE GROUND CONNECTOR
	HEG-FÜL-F1			9,3	ONE FASTON WELDABLE EARTH TAB COPPER PLATED STEEL
	HEG-FÜL-F2			10,1	TWO FASTON STEEL COPPER PLATED CD WELDABLE GROUND CONNECTOR
	HEG-FÜL-F1 A2			9,3	ONE FASTON WELDABLE GROUND CLIP MADE OF STAINLESS STEEL
	HEG-FÜL-F2 A2			10,1	TWO FASTON INOX WELDABLE GROUND CONNECTOR

Technical information:

- One side installation
- Fast installation
- Has a central pin for good positioning